


Thermo Firesleeve—Glass Fibre Fire Protection

Application:

Fire-proof sleeving is fabricated from a dense E-glass fibreglass and a thick coating of self-extinguishing high temperature silicone rubber which is engineered to protect hoses, cables and wire harnesses from damage due to exposure to extreme heat, fire and molten splash. Fire sleeve also provides a high degree of insulation value, protecting hot or cold cryogenic lines, pipes and tubing for heat or cold loss, meanwhile it can help to save energy and provide abrasion resistance protection.

Specifications:

- Material: Fiberglass & silicone
- Can withstand temperatures up to: 550°C
- Operating Temperature Range: -40°C—250°C
- Instantaneous Temperature: 1150°C
- Flammability: self-extinguishing
- Colour: Brick Red



Approved

Bore Size (mm)	Pack Sizes (mm)
6.0mm	1, 5, 10, 25, 50
10.0mm	1, 5, 10, 25,
20.0mm	1, 5, 10, 20
25.0mm	1, 5, 10, 20
35.0mm	1, 5, 10, 20
41.0mm	1, 5, 10, 15
50.0mm	1, 5, 10, 15, 20
70.0mm	0.5, 1, 5, 10, 15
102.0mm	0.5, 1, 5, 10, 20

